

USPA Journal and Newsletter Vol. 10, Number 2 (February, 2024) Official Publication of the United States Psychotronics Association, Inc.

(ISSN: 2473-7194)

For previous issues of our newsletter: <a href="https://www.psychotronics.org/library/">https://www.psychotronics.org/library/</a>

## **Section I - What's Happening Soon:**

Saturday, February 10, 2024, 1:00 pm central time, Lutie Larsen will present USPA Masterclass #51, "Radionic Gardening and Home Care"

CLICK HERE to attend



#### **About the Class:**

Lutie wrote, "In this Webinar I will be reviewing some of our projects, the protocols that gave the best results and some of the principles we have learned about effectively using subtle field frequencies to enhance the quality and production of both soil and producing crops in gardens and small farm systems. I will also host a question and answer period so listeners can participate. If your question is involved and you was a more detailed discussion on your subject you can email me ahead of time at lutielarsen@mac.com (lease use USPA as the subject (of your query) I am so looking forward to this great opportunity with the USPA."

#### **About Lutie:**

Lutie has been sharing her knowledge of Radionics with USPA members since 1982. She has made over 25 Presentations at USPA conferences. She served as a valuable working volunteer and Board member for thirty years. Lutie Larsen presented the first Masters class in the fall of 2019.

For more information about this masterclass, please see Section III.

# **Section II - Sponsors' Spot**

We Have A Sponsor for Lutie's Masterclass at the Free Energy Level!

They have opted to remain anonymous. We can say they are LONGTIME USPA members and share that they have, "benefited greatly from Lutie's work."

## Thank You, anonymous sponsors!

~~~~~~~

Holistic Practitioners, Authors, Crystal Jewelry makers, etc.

Please consider supporting the USPA Masterclass series. You and your product or service:

- Are mentioned our Saturday emails before the class you sponsor.
- Are written up in a USPA newsletter.
- Are promoted in a live advertisement to our Masterclass audience right before the class begins!

Click the picture below for info:

Yes, I'm Interested!

Then, email: Scott Beutlich

He'll walk you through the process faster than a prairie fire with a tailwind!

LIMITED TIME OFFER <u>Lifetime Membership \$400</u> – until March 31, 2024

Become a USPA member for only \$35 per year <u>JOIN HERE</u>

Discounts for 3-year, Active Military and Full-Time Students <u>JOIN HERE</u>

USPA is a 501(c) (3), non-prof organization, founded in 1975 as US Radionics Congress.

## **Table of contents**

| Section I - What's Happening Soon:                                                                                                                                                                                                                            | 1       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| SATURDAY, FEBRUARY 10, 2024, 1:00 PM CENTRAL TIME, LUTIE LARSEN WILL PRESENT USPA MASTERCLASS #51, "RAD GARDENING AND HOME CARE"                                                                                                                              | 1       |
| Section II - Sponsors' Spot                                                                                                                                                                                                                                   | 1       |
| WE HAVE A SPONSOR FOR LUTIE'S MASTERCLASS AT THE FREE ENERGY LEVEL!  Section III CURRENT EVENTS                                                                                                                                                               |         |
| SATURDAY, FEBRUARY 10, 2024, 1:00 PM CENTRAL TIME, LUTIE LARSEN WILL PRESENT USPA MASTERCLASS #51, "RADIO GARDENING AND HOME CARE"                                                                                                                            | 3       |
| Section IV - In Case You Missed This:                                                                                                                                                                                                                         |         |
| JANUARY 13, 2024 JERRY WILLS PRESENTED THE 50 <sup>th</sup> USPA MASTERCLASS "THE HUMAN BODY: THE QUINTESSENTIAL R. CONDUCTOR"                                                                                                                                | 3       |
| Section V - Great Masterclass Lineup for the Coming Months:                                                                                                                                                                                                   | 4       |
| FEBRUARY 10, 2023: LUTIE LARSEN PRESENTS "RADIONICS IN THE GARDEN AND HOME"1:00 ET                                                                                                                                                                            | 4       |
| Section VI- Articles of Interest                                                                                                                                                                                                                              |         |
| KACPERSKI'S CORNER - JOE MCMONEAGLE – REMOTE VIEWER EXTRAORDINAIRE  PHILIP NELL IS SHARING DESIGNS AND DIRECTIONS FOR MAKING A RADIONICS MACHINE  OUR LIBRARY IS YOUR LIBRARY! HERE IS THE 'GPS' FOR THE USPA LIBRARY  HTTPS://WWW.PSYCHOTRONICS.ORG/LIBRARY/ | 5<br>5  |
| Section VII - USPA Publications:                                                                                                                                                                                                                              |         |
| Proceedings and Journals are Digitized and available for purchase in USPA Shop!!                                                                                                                                                                              |         |
| One big advantage to being a member of USPA is the Members Only page of our website.  Thanks to our growing list of Masterclass Sponsors!  The list of Links – offered by Gail Wind                                                                           | 8<br>10 |
| Section IX - The Basics                                                                                                                                                                                                                                       |         |
| Section X - USPA Donors Recognition Page                                                                                                                                                                                                                      |         |
| Section XI Classified Ad Section                                                                                                                                                                                                                              |         |
| Section XII - We are building a selection of books to buy to support USPA                                                                                                                                                                                     |         |
| ENERGETIC PROCESSES: INTERACTION BETWEEN MATTER, ENERGY & CONSCIOUSNESS VOLUME I SECOND EDITION                                                                                                                                                               | 13      |
| WITH HELP FROM USPA, J.G. GALLIMORE'S BOOKS ARE STILL AVAILABLE ON AMAZON                                                                                                                                                                                     |         |
| Philip Nell's Radionic Device Plans                                                                                                                                                                                                                           | 15      |

## **Section III CURRENT EVENTS**

Saturday, February 10, 2024, 1:00 pm central time, Lutie Larsen will present USPA Masterclass #51, "Radionic Gardening and Home Care"

## **About the Class:**

Lutie wrote, "In this Webinar I will be reviewing some of our projects, the protocols that gave the best results and some of the principles we have learned about effectively using subtle field frequencies to enhance the quality and production of both soil and producing crops in gardens and small farm systems. I will also host a question and answer period so listeners can participate. If your question is involved and you was a more detailed discussion on your subject you

TOSHIBA

can email me ahead of time at lutielarsen@mac.com (lease use USPA as the subject (of your query) I am so looking forward to this great opportunity with the USPA."

#### **About Lutie:**

Lutie has been sharing her knowledge of Radionics with USPA members since 1982. In the ensuing years, she served as a valuable working volunteer and Board member for many years.

Lutie Larsen was one the most prolific speakers at the USPA conferences. She presented 22 solo talks, teamed up with another speaker 4 times, was a member of 4 panel discussions, and was a radionic workshop teacher in 1996! 12 of these recordings are in our shop; with more to come. Lutie Larsen presented the first Masters class in the fall of 2019.

Her 1985 lecture was presented as the first USPA Masterclass in 2019. This and all of our Masterclasses are available in the member's area (free for members) and in our shop – that anyone can purchase.

**Click this Link** to attend Lutie's Masterclass; Share the link with friends!

## **Section IV - In Case You Missed This:**

January 13, 2024 Jerry Wills presented the 50<sup>th</sup> USPA Masterclass "The Human Body: The Quintessential Radionics Conductor"

#### **About this Masterclass**

"The Human Body: The Quintessential Radionics Conductor" repositions the human body as a sophisticated, unparalleled radionics instrument – a tool exquisitely fine-tuned by nature, capable of extraordinary feats when aligned with the power of focused intent. Here, the enigma of radionics is unraveled, revealing that the true efficacy of this practice lies within the innate capabilities of the practitioner.

## **About Jerry Wills**

Jerry Wills is an intuitive Healer, a man who has devoted his life to helping others through his unusual gifts. Jerry says, "I enjoy this work. My greatest rewards come from seeing the faces of clients and their families once they realize the problem (or symptoms) have vanished. To date I have assisted in what many consider miracles. The blind have been brought from darkness, the near dead have returned to health, and those thought to be terminally ill have recovered their lives. Yes, there are those who simply do not believe this is possible. There is no way to really explain how this works when using conventional terms. I can't explain it any more than most can understand it. I can't "prove" what I do works, nor am I interested to try. I simply do my best and leave the details to a higher power I have come to call God." <a href="https://jerrywills.com/">https://jerrywills.com/</a>

Members: The recording of these masterclasses – and ALL of the other Masterclasses - can be viewed **free of charge** on the USPA website, in the members' tab https://www.psychotronics.org/

All of the USPA Masterclass recordings can be **purchased for \$9.99 each** in our **SHOP**, where 450 USPA Conference videos and 175 audio recordings are also for sale.

## **Section V – Great Masterclass Lineup for the Coming Months:**

February 10, 2023: Lutie Larsen presents "Radionics in the Garden and Home" 1:00 ET March 9, 2024: Glen Rein presents "DNA as a Transducer of Subtle Nadi Energy"

> T/B/A In 2024 Panel Tom Brown, Don Paris, John Ech "Follow up to MC 47" **Sean David Morten:**

"Psychic and Radio Talk Show Host"

**Dannion Brinkley:** "Radionics"

**Eric Rowley and Stanley Truman:** 

"Update on Rife Technologies"

**Nick Franks:** 

"Interview and O/A on Radionics"

Section VI– Articles of Interest

USPA Disclaimer: The author of each article appearing in this Journal is solely responsible for the content thereof; the publication of an article shall not constitute any representation by the editor or the board or members of the United States Psychotronic Association that the data presented therein are correct or sufficient to support the conclusions reached or that the experiment design or methodology is adequate. USPA does not support nor deny any political views expressed by the authors presented.

## Kacperski's Corner - Joe McMoneagle - Remote Viewer Extraordinaire



Al's Alternative Energy Corner [And other Cool Topics] (L) Joe (R) Shawn



Hi everyone,

From the Shawn Ryan Show Podcast, here is a 6 hour extensive video, called the "Joe McMoneagle - CIA's Project Stargate | SRS #95." It covers much of the life of the top US remote viewer and out of body spy Joe McMoneagle. Fantastic insights into his life and death.

https://www.youtube.com/watch?v=XRTon6qgVws

Happy" Viewing,

Al Kacperski

## Philip Nell is Sharing Designs and Directions for Making a Radionics Machine

Here is Philip's introduction:

I have generated a document on the basic design of a radionics instrument to help advance radionics for the next generation. This document is available for public release.

I am a 67 year old retired electronics engineer, who spent most of my working career designing missile systems for the military. I reside in sunny South Africa and live in Johannesburg, Gauteng province.

My journey started after retirement when I wanted to find a cure for Polymyositis, an auto-immune condition my son contracted when he was only 19 years old (he is now 40 and wheelchair bound)

This 1st led me to Rife, but unfortunately to the 99% bogus Rife devices that are actually John Crane copies using only audio. After designing such a device it had disastrous effects on my son, and I next stumbled upon Radionics after a friend lent me The Secret Art by Duncan Laurie, about 3 years ago. This book changed my life and I delved into the subject, without any monitors or guides. It also shook my technical foundations and took me a long time to grasp only some of the concepts of subtle energy.

I have also made an in depth study of the work of Royal Raymond Rife and have just completed the design of a pure Rife machine that uses the original radio frequencies with Hoyland modulation, and I am investigating combining Radionics and Rife technologies.

The scarcity of Radionics design information prompted me to write the document. With very limited knowledge and experience I welcome comments and suggestions to improve the document, and I can be contacted at <a href="mailto:philipnell777@gmail.com">philipnell777@gmail.com</a>

There is so much to learn about radionics and I realize that the design document 101 will be a living document and will grow exponentially as other members provide their input.

Here is an update as v2.

# THE PLANS ARE AT THE END OF THE NEWSLETTER, BEGINNING ON PAGE 15!

They will also be posted in the "Member's Only Tab on our website.

# Our Library is Your Library! Here is the 'gps' for the USPA Library <a href="https://www.psychotronics.org/library/">https://www.psychotronics.org/library/</a>

Have you been to the USPA Library lately? Have you wandered into the new rooms? We have several recently added "Rooms."

- <u>The Media Room</u> Visit our Media Room to learn about our Audio and Video recordings and to download the Catalogues of USPA Audio and Video Recordings 1978 to 2019. There is also a link for the full tables of contents of all of our Conference Proceedings.
- <u>The Toby Grotz Room</u> Toby Grotz is an electrical engineer with a background in power systems design. He has designed electrical systems for coal, natural gas and nuclear power plants. Mr.

Grotz has been effectively managing projects in the energy and utility industry and researching alternative energy systems for 40 years. He is a founding board member of the Vernon County Energy District, a nonprofit founded to replace the utility scale fossil fuel supply and wealth extraction model of energy use and generation. Toby has presented at our conferences and on a USPA Zoom Masterclass.

- The Masterclass Chat Room The documents in the Masterclass Chat Room are supplemental to the recorded Masterclass Videos, which are now freely available only to paid USPA Members via our MEMBERS tab. (You can also purchase them in our shop). Since mid-2019, USPA has been presenting special monthly Masterclasses. These are live, online presentations, Free via Zoom on the day they are presented. We continued to offer these through the pandemic and the series is ongoing as of this writing (October 2023). ALL of the Masterclasses can be seen free by Members! At this point there at 54 of these available!
- The John Reed Room: As we have shared in previous newsletters, John has been collecting, hoarding, and preserving everything he can get his hands on relating to USPA, psychotronics and radionics since well, since I don't know when. As the collection grows, so does John's frustration at not being able to "complete sets." He is creating a digital library by scanning every out of print book, series of newsletters and magazine articles that he can lay his hands on relevant to psychotronics, radionics and sister fields. As his database grows, he will share updates via this newsletter and our website. **SPECIAL:** In the John Reed Room, you will find the first **twenty** Original USPA Newsletters. **Please visit The John Reed Room** on line and see if you can help fill a void in John's collections. If you contribute an item to the USPA Library, *you may choose a free video of your choice from our shop*.

## **Section VII - USPA Publications:**

Proceedings and Journals are Digitized and available for purchase in USPA Shop!!

All 19 USPA Annual Proceedings can be purchased in pdf format from our webstore at: <a href="https://www.psychotronics.org/product-category/uspa-publications-journals-proceedings/">https://www.psychotronics.org/product-category/uspa-publications-journals-proceedings/</a>

All USPA publications are copyright protected and are property of the USPA. They may not be reprinted without permission of the Board of USPA.

Download the full Tables of Contents for the all of the Proceedings here:

https://www.psychotronics.org/pub/pro/all-uspa-conference-proceedings-toc.pdf

And download the full Table of Contents for all of the Journals here:

https://www.psychotronics.org/pub/j/six-journals-tables-of-contents.pdf Shop Here!

Section VIII "Members Only" Presentations for Free Online Viewing

One big advantage to being a member of USPA is the Members Only page of our website.

We have over 140 presentations FREE for viewing by USPA members. If you are not a member yet, you can 'fix' that in just a few minutes at <a href="https://www.psychotronics.org/join/">https://www.psychotronics.org/join/</a>

This is <u>only</u> the List of Masterclasses in the Member's Only Tab on the Website: There are over 90 other videos, audios and publications available to members only – for a total of over 140!

#### MASTERCLASSES

Masterclass #1 – Using Radionics Every Day with Lutie Larsen

Masterclass #2 – Strange Physics Masterclass with Scott Beutlich

Masterclass #3 – What Is The Radionic Stick? with Marty Lucas

Masterclass #4 – Time is Just Another Dimension with Marty Lucas

Masterclass #5 - Accessing and Supplementing Morphogenetic Fields with Radionic Coding Via the Ether with Daniel Taylor

Masterclass #6 - Balancing Ideas with Thought Forms Is the Future Of Radionics -With Marty Lucas

Masterclass #7: The Perils of Fifth Generation (5G) Wireless -with Dr. Beverly Rubik

Masterclass #8: The Physics of Radionics Hosted by Dan Taylor

Masterclass #9 A Radionic Approach to Fine Agriculture with Hugh Lovel

Masterclass #10 -Astrology and Radionics with Tadd Mann interviewed by Michael Leger

Master Class #11-Radionics with Nick Franks interviewed by Michael Leger

Masterclass #12 - Analysis of Psychoenergetics of Dowsing and Radionics, and How It Works with Marcel Vogel

Masterclass #13 Mind Dynamics in Space and Time with Dr. Elizabeth Rauscher

Masterclass #14 - Recent Advances in Scalar Technologies with Eldon Byrd

Masterclass #15 Part One Q&A - Tom Bearden's 1990 USPA Talk "Action at a Distance: Fundamental Mechanism of Radionics".mp4

Masterclass #15 Part Two The Tom Bearden Phenomenon with Tom Valone

Masterclass #16 Audio Pharmacology with Shannon Harris, interviewed by Ann Michels.

Masterclass #17A Healing at a Distance: A Multi-Dimensional System with Darren Starwynn

Masterclass #17B Awakening the Avatar Within- with Darren Starwynn

Masterclass #18 Psychotronics - with Brooks Agnew

Masterclass #19A -Wireless Technology and Radiation with Andrew Michrowski

Masterclass #19B- Possible Connection Between 5G and the Covid-19 Pandemic with Beverly Rubik

Masterclass #20 Radionics in the Field; It REALLY WORKS with George Kuepper

Masterclass #21 "Mirror Image Symmetry in Coil Winding and the implications in Biological and Electrical Systems" with Toby Grotz

Masterclass #22 The Role of Longitudinal Scalar Energy and Bio-Energy in Healing Process w Glen Rein

Masterclass #23 A Shape Power Revisited with Dan Davidson

Masterclass #23-B Manifesting in the Aether with Dan Davidson (Holiday Gift)

Masterclass #23-C Thomas Henry Moray- Radiant Energy Unit with Dan Davidson

Masterclass #24 Brainicity™ Brain Biofield Enhancement with John Allocca

Masterclass # 25 Plasma Vortex Physics of Consciousness and Negentropy with Dan Winter

Masterclass #26 Exploring The Potential of Radionics in Art & Music—Quantec's Discoveries in Germany and the Experiments at Dragonline Studios, USA with Duncan Laurie

Masterclass #27 Radionic Round Table with Ed Kelly, George Kuepper, Marty Lucas and Dan Taylor

Masterclass # 28 What Dying Teaches You about Living with Dannion Brinkley

Masterclass #29 The Luminous Radiance of the Human Lymph System with Sky David

Masterclass #30 Al Kacperski and Al Rohde- Experiences with Guy Obolensky and Preston Nichols

Masterclass #31 Pineal Stimulation for higher Health and Consciousness with Ellen Kamhi

Masterclass #32 Science and Subtle Energies – A Path to I AM" with Jerry Gin

Masterclass #33 Near Death Experiences with PMH Atwater

Masterclass #34 Reverse Speech with David Oates

Masterclass # 35 Archaeus Project with Dennis Stillings

Masterclass #36 he Human Aspect Of Radionics: Thoughts, Words, And Actions with Dan Mangum

Masterclass #37 Reprogramming DNA with Glen Rein and Annaliese Reid

Masterclass #38 Sacred Geometry with John Allocca

Masterclass #39 Nikola Tesla: Wizard at War with Marc Seifer

Masterclass #40 an Afternoon of Radionics with Pete Radatti

Masterclass #41 Michael Andron – Stories of Andrea Puharich + Greta Woodrew

Masterclass #42 Radionics, Radiesthesia and Rife Technologies with Ed Kelly

Masterclass #43 Mathematical Algorithms for Healing with Kathy Forti

Masterclass #44-Crystallization Patterns- Key to the interaction between Energetic Essence and Biological Systems with Ellen Kamhi

Masterclass #45-Discerning the Truth: Lessons from a Frontier Scientist with Beverly Rubik

Masterclass #46- Energetically Imprinted Water with Libby Rutledge

Masterclass #47 Mechanical Occultism -A Goethean Journey into Psychotronics with John Ech

Masterclass #48 Connecting Remote-Viewing Data with Replicable Video Evidence of Extraterrestrial Involvement with Earth – with Courtney Brown

Masterclass #49 Balancing the Elementary Particles; an experiment in Radionics with Marty Lucas

Masterclass # The Human Body: The Quintessential Radionics Conductor with Jerry Wills

**If you are a member**: Take a peek at updated Members Tab.

Click this link and log in: **USPA Members Only** 

#### Want to JOIN NOW? **CLICK HERE**

Choose annual or three-year.

Special discounts are available for Active Military and Full Time Students.

#### **SPECIAL LIMITED OFFER**

By The USPA Board
Until March 31, 2014:
Lifetime membership in USPA – \$400 –
Never pay dues again!
Access to Member's only for the rest of your life!

#### **JOIN NOW, HERE**

| USPA STORE UPDATE               |                | MEMBERS' ONLY AREA                          |     |
|---------------------------------|----------------|---------------------------------------------|-----|
| Conference Videos               | 473            | Masterclass Videos; Yes, We're on # 41, but | 54  |
|                                 |                | we've had four 'double headers'             |     |
| Conference Audios               | 183            | Classic USPA Videos 1980s                   | 29  |
| Masterclass Videos              | 54             | USPA Conference Videos 1990s                | 22  |
| Conference Proceedings          | 19             | USPA Conference Videos 2000s                | 18  |
| Conference Journals             | 6              | Bonus Videos                                | 5   |
|                                 |                | USPA Conference Audio Recordings            | 31  |
| <b>Total Items in the store</b> | <del>714</del> | PowerPoints & PDF                           | 15  |
|                                 | 735            | <b>Total Items in Member's Only</b>         | 193 |

#### Thanks to our growing list of Masterclass Sponsors!

| Masterclass Sponsored:                                                                   | Our Sponsor:                                                                 |
|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Glen Rein - "The Role of Longitudinal Scalar Energy; Bio-Energy in the Healing Process." | Essentia, at <a href="https://www.essentia.ca/">https://www.essentia.ca/</a> |
| Dan Davidson – "Shape Power, Second Edition"                                             | Don Paris and Ione Selke                                                     |

|                                                                                                                                                 | https://livingfromvision.com/                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| John Allocca- "BrainicityTM Brain Biofield Enhancement"                                                                                         | Anonymous member of USPA and Darren Starwynn https://lightworkerministry.com/2022-2/                                                                                                           |
| Dan Winter- "Plasma Vortex Physics of<br>Consciousness and Negentropy"                                                                          | Darren Starwynn<br>https://lightworkerministry.com/2022                                                                                                                                        |
| Duncan Laurie- "Exploring The Potential of Radionics in Art & Music—Quantec's Discoveries in Germany and the Experiments at Dragonline Studios" | Brent of <a href="https://www.museumoftarot.com/">https://www.museumoftarot.com/</a> Ellen Kamhi – The Natural Nurse <a href="https://www.naturalnurse.com/">https://www.naturalnurse.com/</a> |
| E. Kelly, G. Kuepper, M. Lucas and D. Taylor-<br>"A Radionic Round Table and Q & A"                                                             | Marty Lucas of <a href="https://radionics.us/">https://radionics.us/</a> Ed Kelly of <a href="http://www.kellyresearchtech.com/">http://www.kellyresearchtech.com/</a>                         |
| Al Rohde and Al Kacperski: Personal<br>Experiences with Preston Nichols and Guy<br>Obolelnsky                                                   | Samm Simpson, Author of <i>Honoring My Father and Mother</i> <a href="http://thebp.site/222814">http://thebp.site/222814</a>                                                                   |
| Ellen Kamhi: Pineal Stimulation for Higher Health and Consciousness                                                                             | Richard Cerone, generous member of USPA                                                                                                                                                        |
| Jerry Gin Science, Subtle Energies and<br>Spirituality: A Path to I AM                                                                          | Linda Easthouse <a href="https://lindaeasthouse.com/">https://lindaeasthouse.com/</a>                                                                                                          |
| PMH Atwater: The Near-Death Experience                                                                                                          | Celia Coates <a href="https://winnpost.org/">https://winnpost.org/</a> Janet Amare <a href="https://www.janetamare.com/">https://www.janetamare.com/</a>                                       |
| Dennis Stilling – The Archaeus Project                                                                                                          | John Anthony Allocca, D.Sc                                                                                                                                                                     |
| Dan Mangum – The Human Aspect of Radionics                                                                                                      | Anonymous member of USPA                                                                                                                                                                       |
| Glen Rein and Annaliese Reid, Reprogramming DNA                                                                                                 | Anonymous member of USPA<br>Charleene Closshey                                                                                                                                                 |
| John Allocca-Sacred Geometry                                                                                                                    | Anonymous member of USPA                                                                                                                                                                       |
| Pete Radatti - Radionics                                                                                                                        | Dr. Ermion Pierre www.essentiacih.com                                                                                                                                                          |
| 4 Classes: Andron, Kelly, Forti, Kamhi                                                                                                          | Anonymous member of USPA                                                                                                                                                                       |
| Ellen Kamhi- Energetic Essence and Biological Systems                                                                                           | Dr. John Anthony Allocca                                                                                                                                                                       |
| Courtney Brown                                                                                                                                  | Anonymous                                                                                                                                                                                      |
| Jerry Wills                                                                                                                                     | Stephen Quong                                                                                                                                                                                  |
| Lutie Larsen                                                                                                                                    | Anonymous members of USPA                                                                                                                                                                      |

## The list of Links - offered by Gail Wind

- Non-opioid drug from Vertex cuts pain in major trial tests:

  https://www.biopharmadive.com/news/vertex-pain-drug-positive-trial-results-vx548/705342/?utm\_source=join1440&utm\_medium=email&utm\_placement=newslette
  r
- Millennia-old mystery about insects and light at night gets new explanation
   https://news.fiu.edu/2024/millennia-old-mystery-about-insects-and-light-at-night-gets-a-new-explanation?utm\_source=join1440&utm\_medium=email&utm\_placement=newsletter
- The 'Dolomite Problem' Has Baffled Scientists for 2 Centuries, and Now They've Solved It https://www.popularmechanics.com/science/environment/a46318892/dolomiteproblemsolved/?utm\_source=join1440&utm\_medium=email&utm\_placement=newsletter
- US FDA approves world's first AI-powered skin cancer detecting device <a href="https://interestingengineering.com/innovation/us-fda-approves-worlds-first-ai-powered-skin-cancer-detecting-device?utm-source-join1440&utm-medium=email&utm-placement=newsletter">https://interestingengineering.com/innovation/us-fda-approves-worlds-first-ai-powered-skin-cancer-detecting-device?utm-source-join1440&utm-medium=email&utm-placement=newsletter</a>
- Cicadapocalypse Returns To The US With First Double Brood Emergence In 221 Years <a href="https://www.iflscience.com/cicadapocalypse-returns-to-the-us-with-first-double-brood-emergence-in-221-years-72445?utm">https://www.iflscience.com/cicadapocalypse-returns-to-the-us-with-first-double-brood-emergence-in-221-years-72445?utm</a> source=join1440&utm medium=email&utm placement=newsletter

As Henry Ford said, "Whether you think you can or not; you're right!"

## **Section IX - The Basics**

**Editorial Office**: USPA Newsletter, Gail E. Ruggles, 2088 Maple Ridge Road, Newark, VT 05871. Email <u>gailinvermont@outlook.com</u> Phone: 802-535-5173. After August 1, 2020, please address all newsletter inquiries to Gail.

**For immediate assistance** regarding other USPA issues, contact Scott Beutlich, the secretary / treasurer of USPA at <a href="mailto:uspsychotronics@gmail.com">uspsychotronics@gmail.com</a>

Manuscript Submission: Submit all manuscripts as word documents by the 12th of each month to <a href="mailto:gailinvermont@outlook.com">gailinvermont@outlook.com</a> for review for possible publication in the next month's newsletter. The Board of Directors reviews all editorial decisions.

**Enjoy unique information** about radionics, psychotronics and other related topics at USPA's website at <a href="http://psychotronics.org">http://psychotronics.org</a>. Find us on Facebook at: <a href="https://www.facebook.com/uspsychotronics/">https://www.facebook.com/uspsychotronics/</a>

**Back Issues of our Newsletters** are available in the USPA website library. Or Click Here Copyright: While authors retain the copyright to their writings, USPA reserves the right to post copies of the USPA Newsletter on its website.

#### **Let Them Dream!**



#### Our Officers and Board Members:

| President                | Jon Klimo Ph.D.     | <b>Board Member</b> | Alan Kacperski      |
|--------------------------|---------------------|---------------------|---------------------|
| VP - Scientific Outreach | Beverly Rubik Ph.D. | <b>Board Member</b> | Glen Rein Ph.D.     |
| Secretary / Treasurer    | Scott Beutlich      | <b>Board Member</b> | John Reed M.D.      |
| Executive Secretary      | Daniel Taylor       | <b>Board Member</b> | Daniel Taylor       |
| Speaker Coordinator      | Glen Rein Ph.D.     | <b>Board Member</b> | Ann Michels         |
|                          |                     | Board Member        | Beverly Rubik Ph.D. |

#### What is USPA?

The United States Psychotronics Association (USPA) is a federally recognized, nonprofit 501(c)(3) organization founded in 1975 to serve as a focal point for scientific and technical exploration of the universe of esoteric, spiritual, and psychic arts in the United States of America.

The USPA has been hosting annual conferences for its membership since its formation and has featured countless individuals with cutting-edge viewpoints, research, or theories to share, allowing any interested persons to openly discuss their work.

#### What is Psychotronics?

USPA defines psychotronics as the science of mind-body-environment relationships, an interdisciplinary science concerned with the interactions of matter, energy, and consciousness.

Psychotronics involves the study, research, and applications of the physics and technology of the mind, brain, spirit, consciousness, and the underlying forces of life and nature – hence the term "psychotronics." A true understanding of the universe must include the spiritual as well as the technical. USPA provides an opportunity for amateur researchers to present their findings along with the professionals. USPA stresses research, with documentation of results, and practical applications, rather than personal experience and unsupported hypotheses

## **Section X - USPA Donors Recognition Page**

The USPA would like to give special recognition on a continuing basis to people who have made generous donations to the United States Psychotronics Association in past years.

This special "USPA Generous Donors Recognition Page" will be carried in each issue of the USPA Journal & Newsletter, and new names will be added as donations are received.

## **Donors 2023**

Gema Parra Gomez

John Allocca

**Marty Lucas** 

**Anne Halliwell** 

Radionic Tech

Clan of the Hawk

**Tamara Doris** 

**Trina Moulton** 

Michael Leger

**Alexander Rower - Rower Project** 

## **Donors 2022**

**Anne Halliwell** 

**Every Advantage Ag** 

**Kevin Kossi** 

**Kizito Muliro** 

**Richard Cerrone** 

Michael Leger / Aethereahealth.com

**Duncan Laurie** 

**Marty Lucas** 

Michelle Dietze

**PMH Atwater** 

Society of Radinica

To make a tax deductible donation to the United States Psychotronics Association (USPA) online: Please go to the **USPA Donations Page** and use your credit card, debit card, or PayPal.

If you wish to make a donation by check, please make your check payable to USPA USPA Treasurer, Scott Beutlich, 525 Juanita Vista, Crystal Lake, IL 60014

~ With Our Continued Thanks! ~

#### Section XI Classified Ad Section –

Personal Ads: If you have any "psychotronic related items" to sell, (books, radionic machines, etc.) We charge 20 cents per word, 20.00 per half page with supplied artwork or photos or 35.00 per whole page. Your paid ad will run in the next three issues of the newsletter.

If you would like to publicize an event for a non-profit organization, USPA will advertise for you up to 750 words free. We ask for mutual links to our website from yours.

**If you would like to publicize a for-profit event**, or a business USPA charges reasonable ad rates. Link to the ad rates is posted on our Donate page of the website, or **CLICK HERE** 

**Please Note:** USPA is not responsible for the content or condition of items sold from this newsletter by any private person or company, nor does it back any treatment, modality or veracity of presentation. It does not back any claim of medical efficacy of machines or treatments. USPA cannot recommend specific radionic practitioners, or offer radionic treatments from its board of directors or officers.

## Section XII – We are building a selection of books to buy to support USPA

# **Energetic Processes: Interaction between Matter, Energy & Consciousness Volume I Second Edition**

The USPA book, Energetic Processes, Volume I is now available! You can purchase it on our website at For a limited time, the purchase price on our website, <u>with US shipping</u> is 29.00. Click this link: <a href="https://www.psychotronics.org/product-category/uspa-paperback-books/">https://www.psychotronics.org/product-category/uspa-paperback-books/</a> View the TOC too.

Outside of the US, please go to Amazon at <u>THIS LINK</u> (Note: We are collecting a list of Australian buyers and we'll ship the lot to a USPA representative in Australia to re-ship them and save money. To get on this list, email <u>Gail</u>)

## With Help from USPA, J.G. Gallimore's Books are Still Available on Amazon

Jerry G. Gallimore was one of the founders of the USPA in 1975, and was a leading researcher in psychotronics and unusual energies until his untimely death in 1989.

All five of J.G. Gallimore's rare books on psychotronics subjects and unusual energies have been reprinted by the United States Psychotronics Association (USPA) and are being made available at a fraction of the cost that used copies were being sold at online.

So rare have these books been, that only a few libraries in the entire world had them in their collections, and some original Gallimore's books were being sold for several hundred dollars each online. However, with these newly reprinted volumes, each will be available for less than \$30.00. All are: Available at Amazon.com

| The Handbook of Unusual Energies: | ISBN-13:       | The first book of 3 on | 468 Pages |
|-----------------------------------|----------------|------------------------|-----------|
| Volume                            | 978-1543024999 | unusual energies       |           |

Gallimore discusses in depth the research, discoveries, and inventions of all the major researchers in subtle energies, the aether, biological 62 fields, pyramid energy, radiesthesia, radionics, crystal transduction, and related subjects.

These include the works of Baron Von Reichenbach's and his odic energy, Dr. Wilhelm Reich's orgone energy, Dr. Harold Burr's biological life fields, Kozyrev's time mirror, Edgar Cayce's transmission of energy, and related research done by many others.

Of particular importance is Gallimore's 127 page chapter on radionics. In this chapter he discusses in depth the research and devices of Ruth Drown, T. Galen Hieronymus, Rho Sigma, Dr. L. P. Corte and other prominent people in the radionics field.

| Collected Properties & Writings of J. G. | ISBN-13:       | The second book of 3 | 258 Pages |
|------------------------------------------|----------------|----------------------|-----------|
| Gallimore: Volume 2                      | 978-1543025040 | on unusual energies  |           |

This is the second book in the "Unusual Energies" series that J.G. Gallimore published. It covers Gallimore's research on Albert Abrams, the founder of modern radionics, psychological physics, psychic

energy, thought resonance, subtle energies, crystals, and related subjects.

In addition, a number of radionics devices are discussed, such as the De La Warr Diagnostic Instrument. And very helpfully, the rates are provided for substances, body organs, and medical diseases and disorders. I very interesting interview of Christopher Bird, conducted by J.G. Gallimore is provided, as well as a discussion of Walter Russell and his research

| Relationship Between                 | ISBN-13:       | The third book of 3 on | 228   |
|--------------------------------------|----------------|------------------------|-------|
| Parapsychology and Gravity: Volume 3 | 978-1543024944 | unusual energies       | Pages |

This book describes in depth the research and theories of J.G. Gallimore into the question of parapsychology transmission" -the question of how such things as telepathy, remote viewing, ESP, and similar phenomena can physically occur.

He discusses the various emanations, radiations, and energy fields of all matter and life including the ancient Chinese energy called "chi" (qi), the ancient Indian's prana energy, Reichenbach's "odic force," Gurwitsch's "mitogenic radiation," Wilhelm Reich's orgone energy, and other subtle energies. He shows how all of these energies are similar, how they interact, and how they are related to gravity.

He also discusses crystals as transducers of these energies, and provides diagrams of devices that could potentially be used to harness or control these energies.

| Transverse Paraphysics: The New     | ISBN-13:       | Gallimore's fourth | 374   |
|-------------------------------------|----------------|--------------------|-------|
| Science of Space, Time, and Gravity | 978-1543024920 | book               | Pages |
| Control                             |                |                    |       |

This book covers the visionary research and theories developed by J.G. Gallimore about anti-gravity, space, time, and biophysics. He discusses in depth the dimensions of space, time, and gravity, and new discoveries in each of these areas. In addition, he covers research being done on anti-gravity and then discusses anti-gravity patents that have been obtained.

He also discusses the intriguing concept of aura energy fields surrounding humans and other living things, and how extra-sensory perception (ESP) might be explained through biophysical principles.

| <b>Unified Field Theory Research Book:</b> | ISBN-13:       | Gallimore's Fifth book | 134   |
|--------------------------------------------|----------------|------------------------|-------|
| Using Subjective Response to Psi-Plasma    | 978-1543024838 |                        | Pages |

This book is about psychotronics, radionics, electromagnetic fields and waves, psi-plasma, plasma fields, subtle energies, bio-electromagnetic energy, and other unusual energies emitted by living and non-living things. It also is about how living things interact with and are affected by these energies, which may enhance health or harm health.

The book covers the research of Wilhelm Reich on Orgone energy, of Baron Reichenback on the odic forces, as well as research done by Cazzamalli on brain radiations and Lakhovsky on using high frequency radiations to successfully treat cancer in humans. In addition, Lakhovsky used similar methods to enhance the growth of plants. Gallimore shows how these energies, forces, and fields are all inter-related and provides hypotheses and ideas on their possible unification.



Note: There is one copy of Dan Davidson's revised edition of Shape Power in our Shop.

## **RADIONICS BASIC INSTRUMENT DESIGN 101**

25 Nov 2023 Version 2

#### INTRODUCTION:

There is an abundance of literature available on the use and operating of the multitude of radionics instruments, but very scarce and sketchy information on the designs. This is understandable as most designers/builders want to keep their designs secret for income protection, but this does nothing to encourage the next generation to advance the technology for mankind and results in copies without understanding the fundamentals of radionics design.

The purpose of this document is to provide the basic information to design and build your own radionics instrument and to share some guidelines for the advancement of radionics using the latest available technology. The document will be updated as new insight and knowledge is gained.

I see the radionics instrument as a tool to help us humans shape subtle energetic structures in a controlled and repeatable way by some mysterious combination of our consciousness, intent, higher self/source and the instrument. Many seasoned radionics practitioners report that they no longer require the instruments for balancing and it can thus also be seen as a personal consciousness and intent enhancement training tool.

Subtle energy, portrayed hereafter as three-dimensional energetic structures consisting of sacred geometry forms, follow mostly different rules if compared the main-stream electron flow theory and the circuits should thus not be viewed with a scientific or engineering mindset, which is very difficult for the most of us, especially if you have an engineering background like me.

It is highly recommended that the book *The Secret Art* by Duncan Laurie be read as background on the history and development of Radionics.


A basic knowledge of electronic components and soldering will be required to design and construct a radionics instrument.

"A Fun course in beginning Radionics" by Peter V Radatti is recommended as a guideline for operating any Radionics instrument.

## PART 1: BASIC INSTRUMENT FUNCTIONS

The majority of radionics instrument consists of an input or witness plate, output plate, rate setting function, energy and potency setting, timing and control functions and interface to the Ether with or without gating.

(The Ether definition for this document is the sub-atomic medium that fills all the spaces between atom nucleus and surrounding electrons)



Generic radionics instrument functions

Most instruments have optional external large input and/or output plates with connections to the internal plates and various combinations of optional rate and potency setting systems.

Three functions can be performed with a radionics instrument; analysing, balancing and potentizing or imprinting (Copy term also used). The analysing uses any kind of dowsing with a witness on the input plate to determine typically the vitality, whilst balancing entails the witness on the output plate to remotely influence the vitality of the witness. Imprinting involves the storing of energetic structures in a storage medium such as alcohol or crystal powder. Some practitioners claim that any carbon based material will store the structures.

#### PART 2: RADIONICS RATE SYSTEMS

A very important aspect of rate setting should be emphasised at this stage; the rate setting is nothing more than a combination of ratio's that are introduced in the path of the subtle energy flow, and as such can be accomplished in many ways.


This ratio in the energy flow path has the effect to "bend" or "shape" the subtle energetic structures in a controlled and repeatable way and the different types and methods to implement the ratio combination is discussed next.

The rates are used during all three functions of the radionics instrument to "tune" your consciousness to specific areas of interest of the witness.


## **ALBERT ABRAMS BASE 10 RATE SYSTEM:**

Dr Albert Abrams (1863-1924) is generally seen as the modern father of radionics developed the Base 10 rate system when he found that by placing piano wire strings with connecting taps in series with the electrical wire from the witness to the young healthy man he used to percuss on, he could distinguish different illnesses for the

same locations on the man's stomach. This "ratio of tap position to the start and end of the piano wire" was later replaced with a switchable resistor box with a number of rotary switches to set the ratios, from where the current Base 10 system was derived.



Ratio A:B distance



Dr Abrams busy percussing a stomach

Dr Abrams used a resistor box to set a ratio combination between the witness and the young man and could thus "shape" the properties of the witness subtle energetic structures to allow for the detection of different conditions. The "shaping" is most likely in multi- dimensions and our earthly vocabularies are not able to describe the complex process and resultant shapes.



Original Abrams resistor box with 1 ohm coils as resistors

The Base 10 system is supposedly suited to find resonance in the physical/etheric body fields.

With Base 10 the settings can be any value between 1 and 10 and repeats are allowed. A dial setting of 0 (ratio of 0) has no influence on the subtle energy structures passing through.

A rate normally contains five settings, and there are no limitations as to the amount of setting.

Any combinations of numbers can be used.



Base 10 scale markings

The subtle energetic structures are "shaped" by 360/10 = 36 degrees x dial setting with typical ratios and angles of;

1/10 ~ 36 degrees

 $2/10 \sim 72$ 

3/10 ~ 108

4/10 ~ 144

5/10 ~ 180

 $6/10 \sim 216$ 

7/10 ~ 252

8/10 ~ 288

9/10 ~ 324

10/10 ~ 360 degrees or a full circle

(Interesting to note that 36 degrees is also the Golden Ratio angle)

Example:  $2\ 2\ 9\ 1$  rate  $\sim 2x36 + 2x36 + 9x36 + 1x36 = 504$  degrees in total

Rates can also be cascaded with or without a zero setting between the rates if enough dials are available on the instrument.

Example: rates 42678 and 93612 ~4 2 6 7 8 0 9 3 6 1 2 or 4 2 6 7 8 9 3 6 1 2

#### MALCOLM RAE BASE 44 RATE SYSTEM:

Malcolm Rae, a British Electronic Engineer (1913-1979) became interested in alternative medicines as a young man due to ill health when mainstream doctors failed help him. He however only became involved in radionics late in his career and is credited with both the Base 44 rate and Magneto-Geometric card systems.



Malcolm Rae

The Base 44 system was developed in an effort to increase the selectivity/accuracy of the Base 10 system used then. The Base 44 instrument was, in fact, designed to align with the response to a Radiesthesic question "What is the minimum number of calibrations required on the dials of an instrument in order that it may express, without interpolation, every concept included in the human entity?"

The settings vary from 01 to 44. Note that once again a rate setting of 00 (ratio 0) has no effect on the subtle energy.

The system has supposedly been optimised for resonance in the emotional/astral body fields if compared to the physical/etheric fields of the base 10 system.



Typical knobs and scale using a Base 44 instrument

Usually Base 44 rates contain only 5 setting per rate with the obvious exceptions as there are no limitations with radionics.

When setting the rates, adjacent rates can be equal, but never lower and must follow an increasing trend. This is thus different to the base 10 system. The reason for this seems to be the requirement to create two-dimensional cards of three-dimensional structures using this system where the numbers can only follow in an ascending order.

Example: 04 07 24 24 34

If enough tuning knobs are available on the radionics instrument, more than one rate can be set with or without a 00 setting between the rates.

Example: 09 12 22 34 43 00 06 06 15 25 40 or 09 12 22 34 43 06 06 15 25 40

The theory is that each set rate "shapes" the subtle energetic structure that runs through it by 8 degrees (360 degree/44 = 8.18 degrees, but as no decimals are used in the rates, rounding it off to 8 degrees works just fine) for the Base 44 system.

Typical ratios are 01/44,02/44......44/44 resulting in the corresponding degree shape from 8 to 252 degrees.

The rate to for example clear any radionics instrument is 03 07 09 37 40.

#### YVON COMBE BASE 336 RATE SYSTEM:

Yvon Combe developed the Base 336 system which is supposedly more suited to find resonance in the mental body field and is more complex than both the Base 44 and Base 10 systems.



Yvon Combe French radionics developer

A base 336 rate normally contains five to seven settings, but as for the all the systems, there are no limitations as to the amount of setting and rates can also be cascaded with or without a zero setting between the rates.

A dial setting of 0 (ratio 0) also has no influence on the subtle energy passing through the pot and the energy is "shaped" by 360/9 = 40 degrees x dial setting.

With Base 336 there is no "upward" trend required and the settings can be any value between 1 and 9 and repeats are allowed.

Example: 2 2 9 1 4


Cascading rates are the same as for the other bases.

Example: 4 2 6 7 8 5 3 0 9 3 6 1 2 8 6 or 4 2 6 7 8 5 3 9 3 6 1 2 8 6 for cascading

#### RADIONICS INSTRUMENT IMPLEMENTATION OF THE RATE SYSTEMS:


The rate adjustment is usually done with variable resistors (potentiometers or pots) for practical reasons and any value from 500 to 1 000000 ohms can be used. The lower value pots are more constant in their resistance and higher value pots can be calibrated to all having the same resistance as will be described later.

Linear pots should be used to ensure the correct ratio. (Note that pots are also available in logarithmic adjustment, which are not used for rate setting)



Variable resistor or pot

Hieronymus used variable capacitors in a tuned circuit to set the ratios in his radionics instrument, but these have become very expensive and are not widely available anymore. Variable inductors can also be used but are even more expensive and unavailable. A possible pot substitute for the Hieronymus Base 100 system is provided in Appendix A.




## Variable capacitor to set the ratio with 180 degree movement

In the most basic radionics instrument with an input or witness plate, three rate dials and an output plate with antenna, the pots are connected as indicated in the drawing which sets a ratio combination to shape the witness energetic structures from the input to the output plate and is then routed to the antenna.

One of the rules of subtle energy is that it is able to "flow" along a copper wire.

Another rule is that it will "piggy back" on any electromagnetic wave, which inclues light.



Basic radionics instrument circuit diagram for Base 10



A typical 3-dial instrument using an external Schumann signal source

The same value capacitors (100 nF) can be used between the pots if the designer feels it will be better for his/her design as lots of designers use the capacitors to "separate" the pots, but this is optional.

When using capacitors it is important to "charge" each capacitor used with a DC voltage of 5-12 volts once to allow the subtle energy to flow through it as no alternating current is present to charge the capacitor. This can be done for each individual capacitor or once as a combined unit.

Exactly the same circuit can be used for Base 10, 44 and 336 systems, with the only difference the scale markings on the dials.

The antenna is a simple pancake coil wound in a clockwise direction and couples the energetic structures to the Ether where after resonance is used to transfer the structures information to the witness.

For more advanced circuits with energy and potency settings, an energy source can be used at the input to the rate circuit with the output connected to the input plate.

The rate energy source can be constructed by a pancake coil of approximately 9 turns (any multiple of 3 will work) and wound in a clock wise direction (pendulum

normally shows positive energy in clock wise direction). This device will receive any subtle and/or electromagnetic energy in the vicinity of the coil. The output is then connected to the first rate pot. Note that the centre connection of the coil is left unconnected or blind.




Pancake coil for pots, outer connection goes to 1<sup>st</sup> pot



A double coil can also be used to receive subtle energy

Another option is to use any electromagnetic source such as a Schumann (7.83 Hz) oscillator as Hieronymus determined that the subtle energy piggy backs on any electromagnetic wave.




Schumann sine and square wave oscillator circuit

The 1<sup>st</sup> LM324 quad operational amplifier Integrated Circuit (IC) is configured as a sine wave oscillator of approximately 8 Hz (exact frequency not important) with adjustment to obtain the most pure sine wave. This is followed by a voltage comparator to convert the sine wave to a square wave for later use. The sine wave is connected to the 1<sup>st</sup> rate pot as an energy source.

Note the 100 nF coupling capacitor from the output of the sine wave to the 1<sup>st</sup> rate pot which is required to prevent a direct current (DC) voltage on the pot that stops any subtle energy flow. When using the Schumann oscillator, no charging of the coupling capacitor is required as the alternating current does this.

The various pot connections which can be used are shown next and become a personal choice for the designer.

Another option is to use the subtle energy from the operator as he/she touches the rate dial which then requires no external energy source. This is normally used by the more experienced designers who can simplify the designs due to personal experience.



Different pot connections with and without coupling capacitors

The capacitors connected across the pots complete a single loop (360 degrees) and converts the setting to an angle ratio to shape the subtle energetic structures of the witness by 8, 36 or 40 degrees x ratio depending on the base selected, in sequence for each pot setting. The *capacitors should all have the same value* and 100 nF is typically used.

The capacitors can even be replaced by twisted wire as depicted in the photo below;



Another way to implement the rate setting is via computer software and starts with a sine wave at 7.83 Hz generated in software and the phase of the signal is shifted depending on the rate base used and rate settings. The result is a phase shifted signal that is converted to an analogue signal and connected to the input plate as the rate input.


## **Magneto-Geometric Cards:**

While dowsing a circle, Malcolm Rae found distinct resonating point along the circle corresponding to magnetic fields of the earth. This gave him the idea to generate cards containing the rates represented as angles along the circle and led to the well known Rae cards of which thousands are available.

The main advantage of using the cards is the constant accuracy and thus repeatable results obtained as the manual tuning errors are eliminated.

The general requirements of the cards are as follows;

- Maximum 65 mm high x 65 mm wide, with an additional 10 mm for the identification label.
- The 65 x 65 area should have north, east, south and west markers.
- Seven circles are required, representing the 7 chakras with the inner circle representing the base chakra and the outer the crown chakra.
- Five or more radii representing the rate with length ~ inner circle radius/Pi mm.
- The Radii set at the rate x 8 degrees with zero degrees at the top centre of the circles.
- If the rate is repeated, the radis is set 1 degree further as this is the minimum change possible.
- Any personal sacred geometry can be added outside the seven circles.
- The label should be separated by a double line.




Examples of rate cards

#### **BASE 44 CARD READERS**

- The card reader should have and opening of approximately 67 x 5 mm to allow for multiple stacked cards.
- The top of the reader should consist of a solid non-magnetic metal plate connected to the input plate directly or via a capacitor. The rate structure is present on top of the card and when inserted the plate should cover the card area to ensure no structure is missed.
- The original Rae reader used a ring magnet with North Pole facing the cards, and pick-up wire at the centre of the magnet connected to the input plate.



Magnet with pick-up wire. Note the device to determine the poles.



Note the magnetic flux concentration at the centre where the pick-up wire is placed.

- Multiple cards can be stacked on top of each other to obtain multiple rates.
- External energy source can be added to the reading plate.

Manually set rates can be combined with card rates to obtain even more combinations at the input plate in a heterodyning process (similar to frequency mixing through a non-linear element) to result in new complex energetic structures containing the properties of all the set rates.

These can also be "mixed" with intent written on a paper and placed on the input plate or mental intent thought or spoken. The new complex energetic structures will be maintained by the instrument and used while activated. This relieves the radionics practitioner from having to maintain his/her intent for the duration of the session.


In addition, Rae found the Magneto-Geometric pattern from a simulator card is received by the water molecules in distilled water or blank pills as soon as they are

placed in the Simulator's well, but in its connection to a remote witness it has to be pulsated in order to reach the witness. Like direct current electricity, the steady potential cannot pass through the Ether between instrument and patient except insofar as there is a single impulse when the treatment starts. Whereas, like the pulsations of alternating current electricity passing through a capacitor, each impulse will pass through this Ether. To the best of present knowledge the "Radionics impulse" reaches the witness's physical body via his/her Etheric data field, which appears to be able to receive it, and pass it on to the physical body, but not simultaneously, and for this reason the Interrupter is required. The Interrupter is an electronic switch which makes and breaks the circuit between the source of the Magneto-Geometric Energy in the Simulator and its output in the well (in which the witness's hair sample is placed). Therefore, when using any Magneto-Geometric Simulators or Preparers for Radionics Treatment, an Interrupter must be connected. At a later date it was interesting to learn from David Tansley that some of Abram's treatment instruments used a "Pulsator" - which must have served the same purpose as the Interrupter. Part 8 covers this in more detail where it is referred to as the jackhammer action.

#### **USING HIGHER VALUE POTS:**

When using for example 10k pots, the pots can be calibrated using external resistors to ensure the exact same total resistance for improved accuracy.

The calibration process involves measuring all the pots to be used for rate setting and writing their values on the pots. The pot with the largest value for example 10.20k ohm is used as the reference and the difference resistance for each pot is calculated relative to the 10.20k ohm. For example a pot with 9.98k ohm will have a difference of 10.20 - 9.98 = 220 ohm. A resistor of 220 ohm is then inserted in series with the capacitor across the pot. This is repeated for all the other pots.



Typical calibrated pot

#### **COMBINING THE RATE SYSTEMS:**

Some radionics instrument designers prefer to use separate pots for each of the three rate bases which obviously requires a large number of pots but also uses up a lot of space and thus necessitates a larger instrument. A switch is then provided to select the rate base which connects the selected pots to the input plate.

Another option would be to have only one set of pots which have markings for all three bases as per the example. The challenge is then to add a function to change the Base using the same pots.




Combined Base 44, 10 and 9 markings

When examining the Base 44 vs. the Base 10 and Base 336 systems, it becomes clear that the Base 10 "shapes" the subtle energy 36/8 degrees =  $4.5 \times 10^{-2}$  x more than the 8 degrees and the Base  $336 \times 10^{-2}$  x more. The ratio is thus 8:36:40.

A circuit is required to implement this factor and as resistors are used for the rate shaping; energetically different components such as capacitors or inductors should be used for the Base type ratio. Two examples of such circuits are depicted below.

Note that the ratio of 8:36:40 is implemented as a coil with 8, 36 (8 + 28) and 40 (8 + 28 + 4) turns. This can be reduced to 2, 7 and 1 turns. (36 is also the Golden ratio angle)

The same can be done for capacitors and their values to obtain the ratio.



Circuits for both capacitors and inductors base selection, the copy selection disables the rate setting.

The inductor can be wound on any plastic form with any gauge solid copper wire as only the number of turns for each coil is important. The coils are normally wound in a clock wise direction when starting at the output of the rate setting circuit.


The capacitors should be polyester to ensure the required values are as close as possible and thus the ratios between the bases.

For the Hieronymus Base 100 system, 3.6 degrees are required and 1 turn of the 1<sup>st</sup> coil can be used, followed by another turn for the Base 44 system. The capacitor required would be 8.2 nF for the Base 100 system.

Software implementation of a multi-base system is much easier as 8, 36 or 40 degrees can be selected to shift the reference sine wave phase in software depending on the base selected.

## PART 4: INPUT AND OUTPUT PLATES AND WELLS

The most basic input and output plates consists of square  $70 \times 70 \text{ mm}$  non-magnetic thin copper or brass sheets to which the circuit is connected. They can also be made of stainless steel disks and can be covered with plastic sacred geometry forms to contain the energy signature to the plate or disk available area.



Typical sacred geometry forms used to contain the energy to the available area

Care needs to be taken not to have exactly the same forms for the input and output as this will form a Radionics Link and tend to nullify the potency and energy settings.

Input and output wells are also non-magnetic metal or glass cups with coils wound around them as pick up devices. Some designers even use permanent magnets with North Pole facing up fixed to the bottom of the cups which is optional.

When the witness is placed on the output plate is provides "purpose and direction" to the energy information, which in energetic terms relates to adding the vibration of the witness to the rate and potency information to ensure that it is "received" when transferred to the Ether. The actual witness will then automatically obtain the

information via resonance, no matter where in the universe the witness is as it operated beyond time and space.



Copper input and output wells of instrument

#### **PART 5: POTENCY SETTING**

Homeopaths prepare different potency tinctures by diluting the original herbal mixture. In sharp contrast to big Pharma medication, homeopathic remedies become more potent the less of the original herbs remain which suggests that in the end only the energetic structures of the mother tincture remaining in the remedy.

This dilution can be also be obtained by a radionics instrument with the appropriate dials or adjustment and throughout history various Homeopaths devised different scales to classify the potencies.

The most used systems seem to be;

"X" or "D" potencies ranging from 1X to 1000X


"C" or "CH" potencies ranging from 1C to 10MM

"M" potencies ranging from 1M to 50M

"LM" potencies ranging from 1LM to 30 LM

"F" potencies ranging from 3C to 233C (Note that these are only selected "C" potencies)

Samuel Hahnemann (1755 - 1843) the father of modern Homeopathy devised the "X" and "C" scales where "X" denotes a 10:1 dilution and "C" a 100:1 dilution factor."M" potencies are diluted by 1000 and LM" or "Q" potencies have dilution factors of 50000: 1 and are used to access the higher chakras.



Samuel Hahnemann

Apparently the higher potencies speeds up the energetic structure information transfer to enable the transfer to the various subtle bodies, which vary from the physical, etheric, mental and emotional to spiritual bodies.


The higher the potency, the more "repeats" of the information during the typical 1 minute of transfer is done. Interesting to note that 6X and 6C has the same number of informational repeats even though the dilution factor is 600:1 compared to 6000:1. The amount of dilution thus does not play a role but rather the number of times it is diluted....6 times for each.


For the LM potencies, M denotes 1000:1, CM denotes 100 000:1 and MM 100000:1 dilution factors.

Anything above 200C can affect the mind of a person and beyond 24X and 12C nothing of the original mother tincture remain and it then becomes pure wave energy only. It is thus important to determine in which subtle body the energy blockage is to be able to set the correct potency!

Malcolm Rae in his book **Dimensions of Radionics** provides graphs which show the relationship between the various potency scales and dial settings on a radionics instrument for the X and C potencies.

The potencies are normally only used for imprinting and balancing and set to zero for analysing.





When plotting the "X" potency graph of the Rae data on a LOG-LOG scale graph

(blue line) and obtaining a trend line (red line), Setting = 166.5\*Log (potency), it is clear that the closest match is around the 220 - 260 settings.

The potency setting must thus ensure that the energetic structures are shaped according to a mathematical curve for each of the different scales.

This is mostly implemented in two ways; a pot with resistance value corresponding to the potency and markings corresponding to the dial settings of the graph or the resistance corresponding to the dial setting and the markings corresponding to the potency.

The most basic circuit is to use a logarithmic pot of around 1M ohm (~maximum of 10MM potency) with dial markings accordingly. This requires a precision multiturn pot with a mechanical geared drive and 000-999 display to make the adjustments sensible.

The combined cost of the pot and drive is usually the driving factor for not using it.


Other solutions are to use different pots for the different potency scales with selector switches.



Resolution problem example when using a single pot and knob



Multiturn drive example




Typical potency table used with a multiturn pot.



Example of external limited potency setter

A more versatile circuit uses three pots with the markings corresponding to the graph dial setting of 000 – 999 and the resistance corresponding to the potency value.



Simulation of 3-pot system

The 000-999 settings pots can be represented by three banks of resistors, each bank having 9 equivalent resistors named R1, R2 and R3 for the different banks.

To determine the relationship between the resistors R1, R2 and R3 (which according to the Rae graph should be logarithmic), three equations are required to obtain the

answer and as mentioned before, the trend line equation can be used in the 220 to 260 setting range.

The equations are:

For 36X: Setting =  $166.5^* \text{ Log } (36) \sim 260 = 2^* \text{R3} + 6^* \text{R2}$ 

For 32X: Setting =  $166.5*Log(32) \sim 252 = 2*R3 + 5*R2 + 2*R1$ 

For 22X: Setting =  $166.5* \text{ Log} (22) \sim 224 = 2*\text{R3} + 2*\text{R2} + 4*\text{R1}$ 

The solution turns out to be R1  $\sim$  2.7, R2  $\sim$  10.8 and R3  $\sim$  97.9 with the ratio of;

R2 ~ 4\*R1 and R3 ~ 9\*R2 and R3 ~ 36\*R1

(36 equals the Golden Ratio angle)

To implement this combination, available linear pot values should be chosen and when starting at pot 1 = 1k ohm, pot 2 should be 4k and pot 3 a 36k ohm unit. The 4k and 36k are not standard values and 5k, 20k and 180k turns out to be the best solution. The energetic structures are thus shaped by the relative combination values of the three pots settings.

A table can then be generated with the required settings for any potency from 2X to 1000X using the Setting = 166.5\*Log (potency).

For the "C" potency, the trend line formula is Setting = 70.2\*LN (potency) + 54 and for the "LM" potency the formula is Setting = 45.2\*potency up to 16LM and then Setting = 12.3\*potency + 600 for the rest. (The "F" potencies are the same as the "C")

Note that Jaco Malan has found through experience that only two in-phase potencies can be used for extended period balancing and they are 200C and 10MM. 200C is also the most used potency and a good starting point.

It seems logical that the correct potency must be selected to reach the required subtle body that requires balancing, and for this reason the potency setting should be dowsed for the most effective balance. Hahnemann suggests that the potency should then slowly be increased and effects monitored. When the person's vitality increases the potency can be reduced.

Measurements have shown that the "X" and "F" potencies invert the energetic structures between the input and output plates, while the "C" and "LM" potencies do not. The potencies can thus be used to copy tinctures which require the inverse or out-of-phase energetic structures.

According to Hahnemann, the copied and diluted tinctures should be pounded against a hand for 100 times to distribute the energetic structure information or signature thought the molecules of the tincture. This is based on the same remedy

that was used for two towns by Hahnemann where the same medical condition was present. After transporting the remedy via a cobbled road to the other town, the results were much better there, suggesting the pounding created a more effective remedy. Current Homeopaths believe only 20 poundings is required.

The potency can be implemented in software by multiplying the phase shifted sine wave by the selected potency scale function to change the amplitude values.

## **PART 6: ENERGY SETTING**

The Energy setting on a radionics instrument can be visualised as the relative "size" of the energetic structure and has a relative scale of 0 to 250 ENERGY units. This scale was devised by Jaco Malan through dowsing and experience. (<a href="http://jacomalan.com">http://jacomalan.com</a> ). Some designers refer to this setting as the INTENSITY setting.

A number of radionics designs use a 0-100 VITALITY setting with the energy scale which is then also used during diagnostic dowsing to determine the vitality readings of the various human organs etc, but more on this in Part 7.


Big Pharma medication has an energy value of 30 units which gives some idea of the possible energy units of Homeopathic remedies. When selecting a value of 250, care has to be taken as this very large (8.3 x larger) energetic structure can have severe effects on the target.

This setting follows a linear or straight line and is normally implemented by a linear pot and *should be energetically different* from all other circuits. This can be obtained by any combinations of the following;

- The pot should not have the same value as any other pot used.
- The scale markings should be different to all other pot markings. (Could be upside down)
- Adding a capacitor of 100 nF in series to the input of the circuit.(Charged)
- The knob could be different to the potency knobs.

With pot values of 500 ohm for rates and X, Y and Z, any other value such as 50k, which Hieronymus used, seem to be the standard.

A dual scale of 0 - 250 and 0-100 will cover both the requirements of Energy setting when balancing and Vitality value when analysing.




Energy setting circuit

The Energy setting can be implemented in software by multiplying the phase shifted and then potency adjusted sine wave in a linear function from 0 - 250. This signal is then again converted to analogue and connected to the output plate and Ether interface unit.

A ring magnet and rate cards can be used to construct a very basic potentizing circuit that requires no power as depicted in the circuit below;


Ring magnet with N pole facing card



#### PART 7: ANALYSING = VITALITY DOWSING

Probably the most difficult function to use on any radionics instrument is vitality dowsing. This requires the confident and efficient use of a dowsing tool such as a pendulum or sticky pad and is unfortunately the function that prevents the extensive use of radionics instruments in the world.

Dowsing can be used as a diagnostic tool on humans, plants and animals to determine their overall vitality with a scale of 0-100, followed by dowsing for the root cause to find any energy imbalances which can manifests as medical conditions.



Typical vitality dial

Hieronymus used a table with rates for organs and "healthy" values for each of the items. The rates he used were Base 100 and can be substituted by any other base to set the rate for the different items.


The process is quite basic where a photo or DNA/RNA sample of the witness is placed on the input plate and the rate set for the item on the table e.g. 01 02 02 09 34 for general vitality with Base 44 selected.

The Energy/Vitality pot is then slowly turned from 0 or 100 whilst dowsing for resonance. The pot value at resonance is then the vitality reading of the witness which relates to the energy level threshold that can still be detected when increasing the pot resistance.

If the value is say below 60, the Energy/Vitality pot is turned up to 90 and the witness moved to the output plate and the instrument powered for 1 minute to balance the specific energy.

After a few minutes the process can be repeated to see if the vitality has improved on that specific item.

Another scale used is the Bovis scale which spans from 0 to 100 Billion and covers from the negative realm, positive realm, and spiritual to the cosmic realms.



For software implementation, only the rate phase shifting sine wave is required with stepped vitality adjustment from 0 – 100 until resonance is detected via dowsing.


### PART 8: ANTENNAS (ETHER INTERFACE UNITS)

The new combined (Rate + potency + energy setting + target) energetic structure that once again is the result of another heterodyning process at the output plate and it needs to be coupled to the Ether to ensure the effective update/change of the witness Etheric body information field, sometimes also referred to as the Intrinsic Data Field (IDF). According to the Zeta's, the Etheric body holds a template that guides the repair of the physical body, and this information field is ultimately the target for the combined subtle energy information from the radionics instrument.

This can be done in a number of ways as follows;


The most basic interface is a pancake coil with multiples of 3 turns wound in a clockwise direction. The coil is similar to the coils used for rate pot energy sources. This configuration assumes that the geometric structures are already scalar waves. These coils work but has been found to take longer to change the Ether body information field due to its very low efficiency.

When using a ring magnet with centre pick-up wire to read the Malcolm Rae cards structures, an interrupter (relay contacts) is required in the wire from the card reader to the output plate which has a photo or DNA/RNA sample on, to "transmit" the info to the witness. Potency adjustment pots can be added between the pick-up and interrupter if required.



When using the Schumann electromagnetic oscillator to drive the rate setting pots and card reader, the electrical and magnetic fields needs to be converted to a scalar wave that can transfer the energetic structure information into the Ether.

According to Herald Kautz Vella, the first step is to convert both the two wave types of any electromagnetic wave from transverse to longitudinal where after they will naturally combine to structure a true scalar wave (as they are 90 degrees phase shifted) that operates outside the time-space dimension. (30 and 60 degree shifted longitudinal waves will also naturally combine to form scalar waves)



Difference types of waves

The conversion is quite easy using electronics. First the electrical wave is converted to a longitudinal wave by adding the 180 degree phase shifted signal and next the magnetic wave is converted by using a special bifilar coil. The result is a near zero voltage and current point where most of the energy is now pure scalar.


Once scalar, no time or space restrictions are present anymore and the information is available immediately anywhere in the universe. Resonance is then used to receive the scalar information where required.

Malcolm Rae found that by gating or interrupting the scalar wave, the information change of the body Etheric information field is faster and thus more effective and can be compared to a jackhammer action. The interrupt frequency is not important and 7.83 Hz is mostly used.

There are a number of ways this gating can be implemented. One way is to interrupt the two 180 degree shifted electrical signals to the bifilar coil by relay contacts, but the down side to this is the long term reliability of the relay contacts.

It is a well know fact that light is used in the universe to carry information between dimensions and once again Hieronymus proved this with his radionics instrument. This can be put to good effect by using a LED at the centre of the bifilar coil as the scalar wave will piggy-back on the light and will be effectively coupled to the Ether.

Another way to gate the scalar is to then switch the power to the led with a square wave signal generated by the Schumann circuit discussed earlier. This will interrupt the transfer of the scalar information to the Ether and have the resultant jackhammer effect which creates radionics impulses.



Complete circuit for oscillator and antenna gating interface

Circuit description; The output of the energy setting circuit is connected to a buffer amplifier and the output of the buffer to one side of the special bifilar coil as well as to an inverting amplifier with adjustable gain. When the amplitudes of the two 180 degree phase shifted (inverted) signals are exactly the same (adjustable with 5k trimmer), the electrical wave is converted to longitudinal and at the centre of the coil the magnetic wave is also converted and the scalar is present that piggy-backs on the LED light for transfer to the Ether as radionics impulses.

The bifilar coil can be any multiple of 3 turns, once again wound in a clockwise direction with centre of two coils shorted to structure the zero point. The coil can even be twisted to structure a mobius coil.

This is perhaps the area where designers attempt to hide their secret designs the most and very strange configurations are possible. As long as the circuit effectively converts the electromagnetic to scalar and provides gating it should work.

This process seems very similar to the mind-heart combination as proposed by Joe Dispenza and Greg Braden, where the human intent is generated as an electrical longitudinal wave by the mind and the emotion as a magnetic longitudinal wave by

the heart. The trick is to get the phase between the two either 30,60 or 90 degrees to form a scalar wave that contains the intent information and is instantly available everywhere in the universe as it is time and space independent.



Mobius coil example, 9 turns with LED at centre

The bifilar or Mobius coil is also used by some manufacturers as the "stick plate" during analysing to determine resonance when rubbing the fingers over a plastic surface that covers the coil.

# **PART 9: CONTROL AND TIMING SYSTEMS**

Apart from a power on/off function, the rate Base should be selectable between Copy, Base 44, Base 10 and Base 336.


Timing of about 1 and 6 minutes are required for remedy imprinting, where 1 minute is used for liquid masters and 6 minutes for cream based masters. (Timing accuracy is not critical)

The same 1 minute is used for "transmitting" the energetic structure information via scalar waves to the target.

For continued "transmitting", a pulsed mode is required that is on for 1 minute, followed by a delay of 5 seconds.

A timing start function is also required and with the abundance of 5 volt cell phone chargers, it makes sense to power the unit from 5 volts DC.

All these functions can very easily be implemented using a microcontroller such as the Microchip and Arduino range, but as not all are familiar with programming a microcontroller, a discreet design is presented here that uses common and available components.




Timings for radionics instrument

Three 555 timer Integrated Circuits, two in monostable and the other one in astable multivibrator modes can be used to implement the signals.

In monostable mode, the output pulse duration  $T = 1.1 \times R \times C$  which should be 1 minute and 6 minutes, and for a stable mode the time the output is high  $T = 0.693 \times (Ra + Rb) \times C$  and the time the output is low  $T = 0.693 \times (Rb) \times C$ . The monostables are triggered by a common push button switch.

The circuit is depicted below for the three different signals.



Timing circuit diagram



Example of a very well designed radionics instrument


# **PART 10: TESTING**

A very important aspect of radionics instrument design and construction is the ability to test the design. This can unfortunately not be done with any conventional electronic test equipment such as multimeters, oscilloscopes and spectrum analysers.

The most common test equipment used is any dowsing aid such as a pendulum which uses the human bodies autonomous nervous and muscle systems which are partly controlled by the sub-conscious. This is an art that must be practiced and mastered as the human ego and normal nervous and muscle systems also have

control and can influence the pendulum movement and thus result. The goal is thus to remove the ego from the dowsing action, a task that is not easily accomplished!

Another way to test is to use a complex scalar wave receiver as detailed by Tom Bearden. This instrument uses a very powerful magnet to bend any longitudinal wave present in a Faraday cage and then uses a tuned circuit to detect the now partly transverse wave. Due to its complexity this is however not often used.



Tom Bearden scalar detector

The normal yes/no/maybe convention of dowsing can be used to verify the suitability of each function design and to try new designs.

Once constructed, the more useful measurement is that of subtle energy properties and your dowsing tool calibration can be verified with a normal D-type single cell battery. With the battery standing upright and the +pole at the top, the pendulum normally turns clockwise to indicate positive energy. By turning the battery upside down, the pendulum should turn the opposite way indicating negative energy. *This indication may vary from person-to-person* but is a good starting point to get positive and negative energy indications.



#### RATE TESTING:

Due to the complex nature of the energetic structures and the shaping, there is no current testing method.

#### CARD TESTING:

Same as for the rates.

#### POTENCY TESTING:

This function is tested using the D-type cell placed on the input plate for "X", "C", "LM" and "F" potencies.

No cards or rates should be selected (copy mode) and the Energy is set to 250.

The Potency is set to value between 1C and 10MM which is the in-phase copy of the energetic structure from the input to the output.

With the instrument activated for 1 minute, the pendulum should show the same positive energy as for the battery on the output plate.

Next the Potency is set to any value between 1X and 1000X for the out-of-phase or inverted copy of the energetic structure.

With the instrument activated for 1 minute, the pendulum should show the opposite negative energy of the battery on the output plate.

This is followed by a similar "LM" potency tests which should provide a positive energy and the "F" potency test which should provide a negative or out-of-phase energy.

These tests will then confirm the correct functioning of the potency system.

### **ENERGY TESTING:**

Normal pendulum movement only give a rough indication of the energy level by the amount of sideways movement but is not a very reliable test method. The amount of pendulum swing however increases at higher energy setting and can thus be observed.

#### ANTENNA TESTING:


With the battery on the input plate and the Energy set to 250 and Potency set to 10MM, the instrument is activated in copy mode for 1 minute and the pendulum is position over the LED at the centre of the bifilar antenna coil.

The pendulum should show alternatively positive and negative energy while constantly moving from the horizontal to vertical planes every couple of seconds.


This provides a clear indication that scalar waves are generated and connected to the Ether as all conditions are present and represents the zero point at the centre.

#### PART 11: BASIC RADIONICS INSTRUMENT CIRCUIT

It is interesting to note that even this printed radionics instrument works to determine a rate of any witness placed on the witness well if a make-shift dial with pin is inserted into the centre of the rate markings. The dial is turned until a stick on the antenna/sensor pad or pendulum resonance is detected.



The following is a detail circuit diagram plus parts list of components to build your own basic radionics instrument. Only six rate settings are used as this covers most of the rate setting available from the Internet available list generated by Yvon Combe.



COMPLETE RADIONICS INSTRUMENT CIRCUIT

## Circuit description;

Power to the instrument is provided from any 5 volt DC source via the 1st pole of a 2-pole 6-way rotary switch, with smoothing capacitors added. A green LED indicates that the instrument is switched on and ready to operate.

The sine wave Schumann frequency generator provides electromagnetic wave source and energetic structure for the rate card reader. The 20k trimmer should be set for ~ 3 V p-p sine wave output at pin 14 of the LM324. The 100 micro Farad coupling capacitors is required as the Schumann frequency is very low (~ 8 Hz).

When selecting 1, 6 or 30 minutes timer functions and pressing the start button, the blue Active LED remains on for the balancing duration and the Ether interface white jackhammer LED is enabled.

Most instrument designs are such that the energetic structures are inverted from the input plate to the output plate which implies that inverted remedies are made. This requires an inverter circuit and the potency (all X potencies) can be used to once again invert the structures to the original phase. The design shown here does not invert the structures and any X potency can be set to make inverted remedies. (six of the one and  $\frac{1}{2}$  a dozen of the other)

A prototype was built to verify the design and the following pictures depict the different components used;



Prototype with balance (30 min) and copy (6 min) functions



# Brass input and output plates with Vero board for the circuit



Brass card reader and antenna

## **PART 12: FUTURE DEVELOPMENT**

The basic design of radionics instruments have not evolved significantly over the past 130 years and the question may be posed as to why not?

Perhaps the answer lies in the fact that radionics is still mostly a secret art and not main stream. Some designers have managed to effectively promote radionics using hybrid digital designs such as the SE-5.( <a href="http://se-51000.com">http://se-51000.com</a>)



SE-5 1000 hybrid radionics instrument


Others do computer aided radionics diagnostics such as the Quantec system, which seem to use random number generators to select remedies which seem to rely more on the placebo effect when showing detailed images of the body parts where random "imbalances" are present and selecting random tinctures as remedies. (http://quantech.eu)



Quantec system

Pete Radatti has developed a programming language for radionics called UTRAN that uses FUNCTION, IF, THEN, CALL, ELSE and LOOP statements as Base 10 rates to control the subtle energy flow with conditions. (<a href="www.Radatti.com">www.Radatti.com</a> or <a href="mailto:peter@tigerteam.com">mailto:peter@tigerteam.com</a>)

One subtle energy measurement system that does not require human consciousness is the Bio Well Gas Discharge Visualization (or Kirlian photography) system from Dr Konstantin Korotkov which gives an indication of the relative energy of the various organs etc of the human body. (<a href="https://www.bio-well.com">www.bio-well.com</a>)



Bio-Well system with finger scanner

Med-beds seem to be a reality which has been hidden from us. This could be the actual radionics technology advancement of diagnostics and near instant body repair. Only time will tell if this is true, in the mean time we can use radionics to balance energy and should provide the next generation with sufficient information to advance the technology.

The development of a dowsing instrument which only uses the human consciousness and is not reliant on the involuntary nervous and muscle systems is my current goal. This should provide repeatable and authentic answers and diagnostics when using radionics and hopefully open the door for millions of humans to start using this amazing radionics technology.

Any comments or suggestions to improve this document will be appreciated.

Philip Nell – November 2023

#### APPENDIX A

Thomas Galen Hieronymus (1895-1988) used a Base 100 system with two rate adjustments from 1-100, with 0-0 once again having no effect on the rate.



Typical Hieronymus instrument

The instrument uses an input well, two rate settings, intensity setting (same as Energy or Vitality) and stick plate combined with antenna or Ether interface.

A large number of Hieronymus rates are available on the internet and includes the Peter Kelly rates who improved on the original Hieronymus design. (<a href="http://kellyresearchtech.com">http://kellyresearchtech.com</a> ). All his rates are available on the website as a database.


Kelly increased the resolution of the original rate settings hundred fold and below is an example of the rates. Note the decimals in each of the two settings.

| Name:<br>Animal Type:                             |                                         | Sex:                |                   | Date:<br>Time:       |       |
|---------------------------------------------------|-----------------------------------------|---------------------|-------------------|----------------------|-------|
|                                                   |                                         |                     |                   |                      |       |
| Item                                              | Rate                                    | Reading             | #2                | #3                   | Used  |
| Appropriateness<br>General Vitality (GV)          | 9.00-49.00                              | _                   |                   |                      |       |
| General Vitality (GV)                             | 9.00-49.00                              | +                   |                   |                      |       |
| AURA                                              | no. 61-5/27/68/                         | C-0907 0000         |                   |                      |       |
| Aura Coordination shou                            | ild equal GV. Aura Di                   | stortion should be  | zero.             |                      |       |
| Balance on rate(s) for r                          |                                         |                     |                   | 1995 897             |       |
| Aura Coordination                                 | 37.00-22.00                             | Ş                   |                   | <b>1</b> /2          |       |
| Aura Distortion                                   | 43.00-28.00                             | V 2                 |                   | 2                    |       |
|                                                   |                                         |                     |                   |                      |       |
| Auric Bodies                                      | annual CV Conne                         | A of halos see      |                   |                      |       |
| All Auric Bodies should<br>Set Auric Body rate on |                                         |                     | 2 then house      | act for recommended  | time  |
| Celestial/Causal                                  | 17.50-58.00                             | DESCRIPTION OF DATE | a, their produc   | and for recommended  | anne. |
| Mental Cardan                                     | 48.00-27.00                             | 1                   |                   |                      |       |
| Astral III                                        | 68.00-37.00                             |                     |                   |                      |       |
| Astral II                                         | 87.00-69.00                             |                     | 1                 | 0                    |       |
| Astral I                                          | 25.00-47.00                             |                     |                   | 7                    |       |
| Etheric                                           | 49.00-57.00                             | 3                   |                   | 8 9                  |       |
| Physical                                          | 68.00-49.00                             | 0                   |                   | S 5                  |       |
| CILLED A                                          | 000000000000000000000000000000000000000 |                     |                   | N 1                  |       |
| CHAKRA<br>All should equal GV. Bi                 | madeact on catale) 6                    | r recommended to    | me/c) to incurs   |                      |       |
| Air snowa equar GV. Bi                            | 36.00-56.00                             | v racommended an    | me(s) to increas  |                      |       |
| Brow                                              | 10.00-60.00                             |                     | 5                 |                      |       |
| Throat                                            | 28.00-37.00                             | _                   |                   |                      |       |
| Heart                                             | 60.00-66.00                             |                     |                   |                      |       |
| Solar Plexus                                      | 67.00-16.00                             |                     | -                 | 7                    |       |
| Sacrum                                            | 66.00-22.00                             |                     | >                 | Z                    |       |
| Base                                              | 66.00-56.00                             | 4                   | 3                 | ζη                   |       |
|                                                   | 3                                       | -                   | 4                 | Sq. 1                |       |
| ELIMINATION ORGA                                  |                                         |                     |                   |                      |       |
| All should equal GV. Bo<br>Kidneys                | oadcast on rate(s) fo<br>3.00-82.00     | r recommended tir   | ne(s) to increas  | e.                   |       |
| Spleen                                            | 4.00-95.00                              |                     |                   |                      |       |
| Colon                                             | 8.00-72.00                              |                     | -                 | 0 1                  |       |
| Liver                                             | 17.00-29.00                             |                     | e e               | Ø 1                  |       |
| Lungs                                             | 92.00-83.00                             | 3                   | -                 | Ø                    |       |
| Skin                                              | 0.00-99.00                              |                     | 5                 |                      |       |
|                                                   |                                         | 00                  | 4                 | (A)                  |       |
| SUPPORTING FUNCT                                  | IONS                                    |                     |                   |                      |       |
| Dehydration should be                             |                                         | hould equal GV. B   | Proadcast on rati | es for recommended t | lmes. |
| Dehydration                                       | 62.30-54.50                             |                     | 5                 | 14                   |       |
| Water Mechanism                                   | 14.75-91.25                             | 9                   |                   | 75                   |       |
| Alkalinity                                        | 26.00-41.00                             | 9                   |                   | 8                    |       |
| Acidity                                           | 34.00-84.00                             | 9                   |                   | 8                    |       |
| Pituitary                                         | 6.00-87.00                              | 9                   |                   | 0 0                  |       |
| Adrenals                                          | 3.00 - 9.00                             |                     |                   |                      |       |

This information compiled for experimental agricultural research only and is not intended for use with humans. If medical or mental health care is needed, please visit a licensed professional.

Copyright 2010-2021, Kelly Research Technologies, Inc.

The circuit below can be connected to the radionics instrument via the input plate banana socket with the rate setting switch in the COPY position to disable all other rates.



Base 100 rate circuit

The top left pot adjust from 01 - 100 and the bottom left pot the decimals from 0.01 to 1.00 which replaces the original left hand dial. The top right and bottom right pots replace the original right hand dial. The 1 turn coil is required to set the 360/100 = 3.6 degrees shaping of the energetic structure as for the other rate Bases. Note that the capacitors need to be charged up once before use.

-End-